World's No.1 Major Appliance Brand

Haier

Mark of Excellence & Innovation

Markes

2024 Product Catalogue
Home and Commercial Appliances

The LKG Group of Companies, operating for more than 60 years, maintains extensive holdings in the areas of manufacturing, real estate development, wholesale and logistics distribution, finance and banking, trading and general merchandising, retail, social services and education. It began trading before World War II with its Chairman and Patriarch, **Sir Lim K.G**., at the helm. Despite the devastation the war left the Philippines, **The LKG** emerged with a string of factories and land assets. Since then, **The LKG** has grown to cover more diversified investments. In terms of annual gross revenues, the group's combined performance ranks among the country's Top 500 Corporations.

The LKG's biggest asset is its ability to continuously respond to the varying growing needs of the country when the government was eyeing for industrialization by producing steel, cement, aggregate, ready mix concrete and textile. Inspired by this and encouraged by the economic environment at the time, **The LKG** expands it businesses to other countries like Hong Kong, Taiwan, China, Canada and USA.

LKG Group has been operating for more than **60 years** in the business. Despite its successes, It commits to continuously meet the demand of the market by continuing to produce quality products and extend guaranteed services in the coming years.

Contact Information,

Office Headquarters

#28 Quirino Highway,
Balintawak Quezon City,
Metro Manila,
Philippines, 1106

Contact Numbers

(+632) 8362-5886/87 **CSI**
(+632) 8362-4985 **Glowide**
(+632) 8361-0008 **CAPI**
(+632) 8361-1247 **USSCI**
(+632) 8363-2651 **USSCI**

Fax

(+632) 8363-7162 **CSI**
(+632) 8362-4575 **USSCI/CAPI/Glowide**

CONTINENTAL SALES, INC. (CSI), established on February 23, 1970, is a subsidiary and marketing arm of the LKG Group (www.lkggroup.com). Registered and operating as an import-export logistics and distribution company, among many of its diverse lineups. It is primarily engaged and carry household & commercial appliances, medical equipment, furniture & modular cabinets (particularly home products) and construction materials for the Philippine market.

CSI holds the exclusive Philippine distributorship rights of **HAIER and MARKES Appliances** since 1997 and lately including **IRIS OHYAMA OF JAPAN, HAIER BIOMEDICAL and HAIER CARRIER**.

Most of these products carry international seal of standards such as ISO4001, ISO9001, CE, GS, UL, CSA, EMC, TUV Rhenland, JIS, SAA, CCEE, CETL and CB. Working together hand-in-hand with international partners, CSI achieves the company's goal in providing the Filipino with competitive yet affordable products. Consonant to company's slogan – World Class Home Appliances, **CSI** has to its name various recognitions and awards gained for over more than two (2) decades of services and supply. With currently over 1000 dealer stores nationwide and over 150 accredited sales service centers, **CSI** aimed at defining customer satisfaction at its best.

Our Businesses

Home & Commercial Appliances

Markes, Haier, MARKES & MAXIMUS, Carrier, SANFER MARKES, Marshell & MARKES, IRIS OHYAMA

Medical Equipments / Device

Haier Biomedical, Sinocare

Warehouse

Contact Information,

Office Headquarters

#28 Quirino Highway,
Balintawak Quezon City,
Metro Manila,
Philippines, 1106

Technical & After Sales Srervice

(+632) 363-7193
(+632) 366-3124
(+63) 8362-5886/87
(+63) 922-817-8920
(+63) 999-889-2152
(+63) 917-502-7773

Fax

(+632) 8363-7162 **CSI**

HISTORY

By year 1998, **CSI** started its partnership and brought the brand Haier in the Philippines under a joint-venture company named Haier-LKG. The initial distribution back then was Chest Freezers, Refrigerators, Wine Cooler & Washing Machine. Through these years, Haier Freezers was so aggressive in making up its name, that it opened as a breakthrough for other brands to start and emerge in the Philippine Market aside from other pioneers such as GE, Kelvinator, National (Panasonic) and Sanyo.

When Haier bought Sanyo Philippines and became HPI (Haier Electrical Appliance Philippines, Inc.) around 2012, in order to create a clear distinction and simplify the division between **CSI** and HPI, **CSI** focused on the distribution of Chest Freezers, Beverage Cooler and Wine Cooler. On the other hand, HPI focused on all other lineups such as Air Condi -tioners, TVs, Washing Machine, Refrigerators, among others.

Haier appliances exclusively distributed by **Continental Sales Inc.**

HISTORY

MARKES is a duly established registered brand in Canada and the Philippines since 2001. **CSI** became the marketing arm and exclusive distributor in the Philippines since 2003.

Initially offering home and commercial appliances, MARKES aim to storm its presence by bringing in vast array of products from furniture, construction, medical and more - for business, home and retails channels

Along with its' handpicked globally reputable manufacture partners, MARKES works hand in hand to provide and cater to the Filipino community with its affordable yet quality products defining customer satisfaction at its best.

To date, MARKES Appliance products are offered in all major appliance stores with over 150 accredited service centers nationwide.

Markes appliances exclusively distributed by **Continental Sales Inc.**

Product Lineup

Categories

COOLING APPLIANCE

- Air Conditioner
- Chest Freezer
- Upright Freezer
- Beverage Cooler
- Refrigerator

KITCHEN APPLIANCE

- Food Display
- Tableware Sterilizer
- Integrated Cooker
- Gas Stove
- Gas Range
- Range Hood
- Electric Kettle
- Power Juicer
- Water Dispenser

HOUSEHOLD APPLIANCE

- Dehumidifier
- Electric Fan
- Air Cooler
- Washing Machine
- Front Load Dryer
- Spin Dryer
- Fabric Steamer
- Flat Ceramic Iron
- Iris Storage Cabinet
- Iris Air Circulator
- Iris Dust Mite Cleaner
- Iris Clothes Hanger
- Rechargeable Shaver
- Shoe and Bag Sterilizer
- Massage Chairs

Markes

PREMIER QUALITY APPLIANCES

Cooling Applianced

Airconditioner

Chest Freezer

Upright Freezer

Beverage Cooler

Refrigerator

Kitchen Appliance

Food Chiller/Warmer

Tableware Sterilzer

Gas Range, Gas Stove, Range Hood

Water Dispenser

Household Appliance

Dehumidifier

Electric Fan

Clothes Washer

Clothes Dryer

Garment Steamer

Ceramic Dry Iron

Shoe & Bag Sterilizer

Premium Massage Chair

Haier

WORLD'S NO. 1 MAJOR APPLIANCE BRAND
WORLD'S LARGEST PRODUCER OF MEDICAL BIO REF

Cooling Appliance

Beverage Cooler

Wine Cooler

Chest Freezer

Haier Biomedical

Pharmacy Refrigerator

Blood Bank

Biomedical Freezer

Carrier

A WORLD LEADER IN HEATING, AIR-CONDITIONING & REFRIGERATION SOLUTIONS.

Remote Cabinet

Plug-In Cabinet

Plug-In Cabinet

IRIS OHYAMA

THE WORLD'S LEADING PLASTIC STORAGE MANUFACTURER OF JAPAN

Plastic Drawer
Made from Virgin Plastic Material

Powerful Circulator Fan

Mattress & Sofa Vacuum Cleaner

Haier

BEVERAGE COOLER / SHOWCASE CHILLER

Low-E, Tempered Glass Door

Dynamic Fan Cooling

LED Lamp

Elegant Design

SHOWCASE CHILLER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET VOLUME	TEMPERATURE RANGE	RATED POWER INPUT	REFRIGERANT	NET WEIGHT	UNIT DIMENSION (W x D x H)
SC-309	10.9 cu.ft.	280 Liters	0ºC ~ 10ºC	220 Watts	R-600A	55kg	600x630x1800mm
SC-339	12.0 cu.ft.	320 Liters	0ºC ~ 10ºC	220 Watts	R-600A	60kg	600x630x1950mm

Haier

CHEST FREEZER

BD-206HI

BD-519HI+

SUPER Freeze Button

Digital Control Panel

Adjustable Temperature Control

Wide Voltage Range (BD-206HI)

PCM Liner Inner Cabinet

High Pressure Micro Cellular Foaming

Counter Balance Lid

Lock & Key for Security

SMALL & LARGE SEGMENTS CHEST FREEZER INVERTER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET VOLUME	FREEZING CAPACITY	POWER CONSUMPTION	RATED POWER INPUT	REFRIGERANT	UNIT / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
BD-206HI	7.0 cu.ft.	200 Liters	16kg / 24hr	0.65kW-h / 24hr	95 Watts	R-600A	31.8kg / 36.1kg	820x555x870mm
BD-519HI+	18.0 cu.ft.	519 Liters	40kg / 24hr	1.2kW-h / 24hr	175 Watts	R-600A	71kg / 79kg	1650x745x845mm

Haier

CHEST FREEZER

High Pressure Micro Cellular Foaming

Quick Freeze Button

Adjustable Temperature Control

Wide Voltage Range

Counter Balance Lid

Lock & Key for Security

SMALL SEGMENT CHEST FREEZER SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET VOLUME	FREEZING CAPACITY	POWER CONSUMPTION	RATED POWER INPUT	REFRIGERANT	UNIT / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
BD-106HDV6	3.5 cu.ft.	103 Liters	7KG / 24Hr	0.66kW-h/24h	70 Watts	R-600A / 48g	28kg / 31kg	570*550*845mm
BD-146HDV6	5.0 cu.ft.	143 Liters	12KG / 24Hr	0.72kW-h/24h	80 Watts	R-600A / 50g	31kg / 34kg	720*550*845mm
BD-206HDV6	7.0 cu.ft.	203 Liters	15KG / 24Hr	0.84kW-h/24h	90 Watts	R-600A / 56g	35kg / 39kg	940*550*845mm

Haier

CHEST FREEZER



High Pressure Micro Cellular Foaming

Quick Freeze Button

Adjustable Temperature Control

Wide Voltage Range

Counter Balance Lid

Lock & Key for Security

SMALL SEGMENT CHEST FREEZER SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET VOLUME	FREEZING CAPACITY	POWER CONSUMPTION	RATED POWER INPUT	REFRIGERANT	UNIT / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
BD-146HN	5.0 cu.ft.	142 Liters	13kg / 24hr	0.76kW-h/24h	80 Watts	R-600A/52g	29.1kg/32.8kg	630x555x870mm
BD-206HN	7.0 cu.ft.	200 Liters	15kg / 24hr	0.92kW-h/24h	90 Watts	R-600A/58g	32.8kg/37.0kg	821x555x870mm

Haier

CHEST FREEZER

BD-319HDV6 | BD-379HDV6 | BD-429HDV6

High Pressure Micro Cellular Foaming

Quick Freeze Button

Adjustable Temperature Control

Wide Voltage Range

Counter Balance Lid

Lock & Key for Security

MEDIUM SEGMENT CHEST FREEZER SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET VOLUME	FREEZING CAPACITY	POWER CONSUMPTION	RATED POWER INPUT	REFRIGERANT	UNIT / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
BD-319HDV6	11.0 cu.ft.	319 Liters	22kg/24hr	1.4 kW-h/24h	180 Watts	R-600A / 90g	51kg / 58kg	1055x745x845mm
BD-379HDV6	13.0 cu.ft.	379 Liters	26kg/24hr	1.5 kW-h/24h	200 Watts	R-600A / 85g	54kg / 62kg	1240x745x845mm
BD-429HDV6	15.3 cu.ft.	429 Liters	30kg/24hr	1.38kW-h/24h	210 Watts	R-600A / 100g	67kg / 76kg	1410x745x845mm

Haier

CHEST FREEZER

BD-319HDV6 | BD-379HDV6 | BD-429HDV6

High Pressure Micro Cellular Foaming

Quick Freeze Button

Adjustable Temperature Control

Wide Voltage Range (BD-719H)

Counter Balance Lid

Lock & Key for Security

LARGE SEGMENT CHEST FREEZER SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET VOLUME	FREEZING CAPACITY	POWER CONSUMPTION	RATED POWER INPUT	REFRIGERANT	UNIT / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
BD-519HDV6	18.5 cu.ft.	519 Liters	32kg / 24hr	1.52kW-h/24h	220 Watts	R-600A / 105g	76kg / 86kg	1650x745x845mm
BD-719H	25.0 cu.ft.	719 Liters	49kg / 24hr	3.05kW-h/24h	375 Watts	R-404A / 270g	94kg / 102kg	1860x860x845mm

Haier

CHEST FREEZER

UP TO 8 + 3 + 2 YEARS
COMPRESSOR · INTERNAL LEAK · PARTS & LABOR
EXTENDED WARRANTY*

Eco Friendly Refrigerant

SD-297 | SD-377

Energy Efficient

PCM Liner Inner Cabinet

Integrated Door Lock

Durable and Easy to Clean

CURVED GLASS CHEST FREEZER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET VOLUME	POWER CONSUMPTION	RATED POWER INPUT	REFRIGERANT	UNIT / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
SD-297	10.5 cu.ft.	211 Liters	2.2 kW-h/24h	175 Watts	R290	55kg / 63kg	1000x690x777mm
SD-377	13.3 cu.ft.	267 Liters	2.4 kW-h/24h	205 Watts	R290	60kg / /68kg	1200x690x777mm

AIR CONDITIONERS



Eco Friendly Refrigerant

360 Air Swing Motor

Washable Dust Filter

Sealed Bearing Type Fan Motor

Built with Gold Fin

WINDOW TYPE MANUAL CONTROL - SEMI-INVERTER - TECHNICAL SPECIFICATIONS

Model	Nominal Size	Cooling Capacity	Refrigerant	Compressor Brand	Rated Current	Rated Power Input	Net Weight	Unit Dimension (L x W x H)
MWA-07GM4T	0.75HP	7920kJ/hr	R410A/320g	RECHI	3.3A	728W	24.5kg	470x535x355mm
MWA-09GM4T	1.0HP	10025kJ/hr	R410A/370g	RECHI	4.3A	946W	28.0kg	470x535x355mm
MWA-12GM4T	1.5HP	12620kJ/hr	R410A/470g	RECHI	5.3A	1225W	33.0kg	600x560x380mm
MWA-18GM4T	2.0HP	19100kJ/hr	R410A/740g	HIGHLY	8.0A	1744W	54.0kg	680x660x430mm

WINDOW TYPE REMOTE CONTROL - SEMI-INVERTER - TECHNICAL SPECIFICATIONS

Model	Nominal Size	Cooling Capacity	Refrigerant	Compressor Brand	Rated Current	Rated Power Input	Net Weight	Unit Dimesion (L x W x H)
MWA-07HR4T	0.75HP	7920kJ/hr	R410A/320g	RECHI	3.3A	728W	24.5kg	470x535x355mm
MWA-09HR4T	1.0HP	9600kJ/hr	R410A/370g	RECHI	4.7A	910W	30.0kg	470x535x355mm
MWA-12HR4T	1.5HP	12620kJ/hr	R410A/470g	RECHI	5.3A	1163W	33.0kg	600x560x380mm
MWA-18HR4T	2.0HP	19000kJ/hr	R410A/740g	HAILY	8.0A	1744W	49.0kg	660x680x430mm



- Hyper Blast Cooling
- Built with Ionizer
- Quick Cooling Function
- 4 Way Air Swing Direction
- Washable Dust Filter
- Sleep Mode Function
- Wide Operating Voltage
- Auto Restart Function
- Self Cleaning Function
- Matte Finish Surface
- ABS Plastic Material
- Golden Fin Evaporator and Condenser

WALL SPLIT TYPE INVERTER – TECHNICAL SPECIFICATIONS

MODEL	NOMINAL SIZE	COOLING CAPACITY	REFRIGERANT	VOLTAGE & FREQUENCY	RATED POWER INPUT	RATED CURRENT INPUT	UNIT DIMENSION (INDOOR LxWxH)	UNIT DIMENSION (OUTDOOR LxWxH)
MSWI-09META	1.0HP	9360kJ/hr	R410A/580g	230V~60Hz	867W / 1300W	4.28A / 7.10A	788x292x198mm	720x545x255mm
MSWI-12META	1.5HP	12600kJ/hr	R410A/650g	230V~60Hz	1100W / 1650W	6.5A / 8.4A	940x316x224mm	795x525x290mm
MSWI-18META	2.0HP	18990kJ/hr	R410A/950g	230V~60Hz	1800W / 2200W	8.5A / 11.5A	940x316x224mm	795x525x290mm
MSWI-24META	2.5HP	23040kJ/hr	R410A/1550g	230V~60Hz	2100W / 2250W	10.5A/13.0A	1132x330x232mm	825x655x310mm

AIR CONDITIONERS

- Eco Friendly Refrigerant
- Hyper Blast Cooling
- Energy Saving Function
- Independent Dehumidification
- Automatic Mode
- Removable Dust Filter
- Dual Drainage
- Gold Fin for Evaporator and Condenser

WALL SPLIT TYPE SEMI-INVERTER - TECHNICAL SPECIFICATIONS

Model	Nominal Size	Cooling Capacity	Refrigerant	Compressor Brand	Rated Power Input	Rated Current	Indoor Dimension (LxWxH)	Outdoor Dimension (LxWxH)
MSW-09XET	1.0HP	8600kJ/hr	R410A/380g	RECHI	822W	4.1A	698x225x190mm	600x500x232mm
MSW-12XET	1.5HP	11,999kJ/hr	R410A/490g	RECHI	1190W	7.4A	777x250x201mm	754x300x552mm
MSW-18XET	2.0HP	18,550kJ/hr	R410A/870g	HIGHLY	1683W	7.7A	910x292x190mm	760x552x256mm

WALL SPLIT TYPE INVERTER - TECHNICAL SPECIFICATIONS

Model	Nominal Size	Cooling Capacity	Refrigerant	Compressor Brand	Rated Power Input	Rated Current	Indoor Dimension (LxWxH)	Outdoor Dimension (LxWxH)
MSWI-09XAT	1.0HP	10800kJ/hr	R410A/440g	RECHI	785W	3.8A	698x190x255mm	754x300x552mm
MSWI-12XAT	1.5HP	13680kJ/hr	R410A/540g	RECHI	1140W	1.3A	777x201x250mm	734x300x552mm
MSWI-18XAT	2.0HP	18720kJ/hr	R410A/830g	SANYO	1682W	2.5A	910x201x294mm	817x300x553mm
MSWI-24XAT	2.5HP	27000kJ/hr	R410A/1020g	GMCC	2800W	9.0A	1010x315x220mm	780x605x290mm

AIR CONDITIONER

PORTABLE

SEMI-INVERTER SERIES

Features

- GMCC Brand Compressor
- Hydrophilic Coated Fins For Protection Against Rust and Corrosion
- **R410a** Environment Friendly Refrigerant
- Energy Efficient
- Super Quiet Design
- Durable Caster Wheels With Lock

Technical Specification

Model	Nominal Size	Cooling Capacity	Refrigerant / Charge	Rated Power Input	Airflow Volume	Area of Operation	Net Weight	Unit Dimension (L x W x H)
MPA-09LAA	1.0Hp	9540 kj/hr	R410a/380g	870W	410 m3/h	9 - 16sqm	32kg	480x400x795mm
MPA-12LAA	1.5Hp	13356 kj/hr	R410a/520g	1200W	410 m3/h	17 - 25sqm	34kg	480x400x795mm

Prevents Dustmites

Reduces Moist

Reduces Rust

Reduces Dusting and Cleaning

No More Nasty Odor

Home smells Fresh & Clean

DEHUMIDIFIER - TECHNICAL SPECIFICATIONS

MODEL	DEHUMIDIFY CAPACITY	WATER TANK CAPACITY	AREA OF OPERATION	MAX INPUT POWER	RATED VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MDEHU-C16T	16L / Day (30°C 80%)	3.5 Liters	25sq/m	320W	220V-240V/~/60Hz	12.6kg	305x234x500mm
MDEHU-A20T	20L / Day (30°C 80%)	5.5 Liters	30sq/m	510W	220V-240V/~/60Hz	14.5kg	368x233x576mm
MDEHU-A26T	26L / Day (30°C 80%)	5.5 Liters	40sq/m	420W	220V-240V/~/60Hz	15.3kg	368x233x576mm

BEVERAGE COOLER / SHOWCASE CHILLER

MSRI-339BKX

MSRI-339GYX

Environment Friendly Refrigerant

Automatic Defrost

Heavy Duty Internal Fan Motor

Double Layered Glass Door with Lock

Durable Adjustable Shelves

SHOWCASE CHILLER INVERTER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MSRI-339BKX	12.0 cu.ft.	339 Liters	R600A / 57g	195 Watts	1.97kW-h / 24h	73kg	615x618x2104mm
MSRI-339GYX	12.0 cu.ft.	339 Liters	R600A / 57g	195 Watts	1.97kW-h / 24h	73kg	615x618x2104mm

BEVERAGE COOLER / SHOWCASE CHILLER



MSR-228D | MSR-268D | MSR-300D | MSR-350D

- Advance Cooling System
- Outside Condenser for Fast Head Dissipation
- Dynamic Fan Cooling System
- Adjustable Shelves for Better Capacity
- Lighted Interior and Canopy
- Lock and Key for Security

MSR-120XC | MSR-170XC

- Semi-Inverter **Up to 30% Savings**
- No Frost Cooler
- 100% Aluminum Coated Interior
- Adjustable Shelves for Better Capacity
- PVC Door Frame
- LED Lighting

SHOWCASE CHILLER SEMI-INVERTER - TECHNICAL SPECIFICATIONS

**some models*

MODEL	CAPACITY	NET VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MSR-120XC	4.2 cu.ft.	112 Liters	R134A	160W	0.90kW-h/24h	38.9kg	545x588x997mm
MSR-170XC	6.0 cu.ft.	158 Liters	R134A	180W	1.15kW-h/24h	48kg	545x620x1310mm
MSR-228D	8.0 cu.ft.	228 Liters	R600A	150W	1.4kW-h/24h	60kg	530x595x1721mm
MSR-268D	9.5 cu.ft.	168 Liters	R600A	150W	1.5kW-h/24h	65kg	530x595x1842mm
MSR-300D	10.6 cu.ft.	300 Liters	R600A	190W	1.64kW-h/24h	68kg	620x595x1800mm
MSR-350D	12.4 cu.ft.	350 Liters	R600A	190W	1.84kW-h/24h	75kg	620x635x1890mm

BEVERAGE COOLER / SHOWCASE CHILLER

Digital Display Panel

100% Aluminum Coated Interior

Evaporator Fan Motor

Curved Freezer Corner for better Performance

Door Lock

LED Light

SHOWCASE CHILLER WITH TOP FREEZER SEMI-INVERTER - TECHNICAL SPECIFICATIONS

**some models*

MODEL	CAPACITY	CHILLER VOLUME	FREEZER VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MSRF-200YJ	7.0 cu.ft. | Yellow	111 Liters	83 Liters	R134a/160g	220W	2.4kW-h/24h	52kg	520x540x1315mm
MSRF-212BKD	7.5 cu.ft. | Black	152 Liters	60 Liters	R600a/70g	180W	1.9kW-h/24h	60kg	530x606x1565mm
MSRF-212GD	7.5 cu.ft. | Green	152 Liters	60 Liters	R600a/70g	180W	1.9kW-h/24h	60kg	530x606x1565mm
MSRF-212RD	7.5 cu.ft. | Red	152 Liters	60 Liters	R600a/70g	180W	1.9kW-h/24h	60kg	530x606x1565mm
MSRF-251BLJ	8.8 cu.ft. | Blue	195 Liters	53 Liters	R134a/165g	220W	2.55kW-h/24h	53kg	550x560x1620mm
MSRF-273BKD	9.6 cu.ft. | Black	200 Liters	73 Liters	R290a/75g	190W	2.2kW-h/24h	65kg	620x606x1645mm
MSRF-273RD	9.6 cu.ft. | Red	200 Liters	73 Liters	R290a/75g	190W	2.2kW-h/24h	65kg	620x606x1645mm
MSRF-318BKD	11.2 cu.ft. | Black	222 Liters	96 Liters	R290a/80g	230W	2.5kW-h/24h	70kg	620x603x1815mm
MSRF-318RD	11.2 cu.ft. | Red	222 Liters	96 Liters	R290a/80g	230W	2.5kW-h/24h	70kg	620x603x1815mm

BEVERAGE COOLER / SHOWCASE CHILLER



Digital Display

No Frost Cooler

100% Aluminum Coated Interior

Durable Adjustable Shelves

Aluminum Door Frame

2 Vertical LED Lights

SHOWCASE CHILLER 2 DOOR SIDE-BY-SIDE SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MSR2-400D	14.1 cu.ft.	400 Liters	R290/80g	400W	3.52kW-h/24h	129kg	900x630x1856mm
MSR2-600D	21.1 cu.ft.	600 Liters	R290/100g	460W	4.52kW-h/24h	140kg	900x725x2036mm
MSR2-800D	28.2 cu.ft.	800 Liters	R290/115g	480W	5.5kW-h/24h	146kg	1000x730x2036mm
MSR2-1000D	35.3 cu.ft.	1000 Liters	R290/125g	500W	6.6kW-h/24h	177kg	1200x730x2036mm



Glass Door In Arc-Shape

Advance Compressor Freezer Technology

Adjustable Thermostat

Strong and Versatile Caster Wheels

Door Lock

CHEST FREEZER CURVED GLASS INVERTER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET / GROSS VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	NET / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
MCFGCI-360X	12.7 cu.ft.	360 Liters	R290 / 80g	290 Watts	2.6kW-h/24h	62kg	1260x705x875mm
MCFGCI-500GYX	18.0 cu.ft.	307L / 500L	R290 / 85g	260 Watts	2.9kW-h/24h	80kg / 87kg	1475x757x858mm
MCFGCI-700GYX	25.0 cu.ft.	399L / 700L	R290 / 58g x 2	515 Watts	3.5kW-h/24h	120kg / 128kg	2000x757x858mm

MCFSG-152X

MCFSG-212X | MCFSG-252X

5 YEARS WARRANTY COMPRESSOR

★ 1 YEAR PARTS & LABOR ★

Deep and Quick Freezing

Embossed Aluminum Interior for Efficiency

Wire Baskets

Door Lock

CHEST FREEZER STEEL TOP WITH SLIDING GLASS DOOR – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET / GROSS VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	NET / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
MCFSGI-152X INVERTER SERIES	5.4 cu.ft.	140L / 152L	R600a / 58g	100 Watts	0.65kW-h/24h	31kg / 34kg	754x564x845mm
MCFSG-212X	7.5 cu.ft.	190L / 212L	R600a / 65g	120 Watts	1.08kW-h/24h	35kg / 39kg	950x564x845mm
MCFSG-252X	8.9 cu.ft.	232L / 252L	R600a / 70g	150 Watts	1.2kW-h/24h	37kg / 42kg	950x644x845mm

MCFG-110XW

MCFG-110XG

MCFG-200X

5 YEARS WARRANTY COMPRESSOR
★ 1 YEAR PARTS & LABOR ★

Suitable for Hot Surroundings

Toughned Glass Lid

Dynamic Fan Compressor Cooling

Deep and Quick Freezing

Adjustable Thermostat

Door Lock

CHEST FREEZER FLAT GLASS SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY + color	NET / GROSS VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	NET / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
MCFG-110XW	3.9 cu.ft. (Red)	100 Liters	R-134A	120 Watts	1.3kW-h/24h	34kg	620x510x830mm
MCFG-110XG	3.9 cu.ft. (Gray)	100 Liters	R-134A	120 Watts	1.3kW-h/24h	34kg	620x510x830mm
MCFG-200X	7.0 cu.ft.	171L / 200L	R-600A / 42g	125 Watts	1.05kW-h/24h	33kg / 37kg	865x540x784mm

CHEST FREEZER

Glass Door In Arc-Shape

Advance Compressor Freezer Technology

Adjustable Thermostat

Strong and Versatile Caster Wheels

Door Lock

CHEST FREEZER CURVED GLASS SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET / GROSS VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	NET / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
MCFGC-260X	9.2 cu.ft.	190L / 260L	R290a / 64g	210 Watts	2.4kW-h/24h	52kg / 60kg	990x705x875mm
MCFGC-360X	12.7 cu.ft.	360 Liters	R-134A	338 Watts	3.2kW-h/24h	67kg	1260x705x875mm
MCFGC-500X	18.0 cu.ft.	307L / 500L	R-134A / 185g	325 Watts	3.0kW-h/24h	80kg	1475x757x858mm
MCFGC-700X	25.0 cu.ft.	399L / 700L	R290 / 58g x 2	640 Watts	4.72kW-h/24h	120kg / 128kg	2000x757x858mm

MCFS-650X | MCFS-750X

High Energy Conservation

Advance Compressor Freezer Technology

Embossed Aluminum Interior for Efficiency

Door Lock

CHEST FREEZER STEEL TOP DOOR SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	NET / GROSS VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	NET / GROSS WEIGHT	UNIT DIMENSION (W x D x H)
MCFS-650X	23.0 cu.ft.	576L / 650L	R290a / 84g	295 Watts	3.5kW-h/24h	71kg / 81kg	1930x670x825mm
MCFS-750X	26.5 cu.ft.	677L / 750L	R290a / 90g	310 Watts	3.8kW-h/24h	74kg / 87kg	1945x757x825mm

INVERTER SERIES

MRTI-540S BLG | Blue, Glass Door
Recessed Handle

MRTI-540S SLS | Silver, Solid Door
Door Handle

Interior Layout

5 YEARS WARRANTY COMPRESSOR
★ 1 YEAR PARTS & LABOR ★

Environment Friendly Refrigerant

Tempered Glass Shelves

Huge Freezer Volume

Vinyl Coated Door Material

LED Light

2 DOOR SIDE-BY-SIDE REFRIGERATOR SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	FRIDGE VOLUME	FREEZER VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MRTI-540S SLS	19.9 cu.ft.	331 Liters	165 Liters	R600A	210 Watts	1.15kWh/24h	83kg	911x691x1780mm
MRTI-540S BLG	19.9 cu.ft.	331 Liters	165 Liters	R600A	210 Watts	1.15kWh/24h	83kg	911x691x1780mm

REFRIGERATOR

Environment Friendly

Manual Defrost

Tempered Glass Shelves

With Inner Lamp

Clean Back Design

PERSONAL REFRIGERATOR SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	FRIDGE VOLUME	FREEZER VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MRT-85BKJ	2.7 cu.ft.	49 Liters	22 Liters	R600	85 Watts	0.65kWh/24h	23kg	480x445x845mm
MRS-88RJ	3.1 cu.ft.	79 Liters	7 Liters	R600	70 Watts	0.58kWh/24h	23kg	480x495x825mm
MRS-88SSJ	3.1 cu.ft.	79 Liters	7 Liters	R600	70 Watts	0.58kWh/24h	23kg	480x495x825mm
MRS-118WJ	4.1 cu.ft.	100 Liters	16 Liters	R600	120 Watts	0.64kWh/24h	33kg	582x550x845mm

REFRIGERATOR

MR3BF-238J

Inside layout

Environment Friendly | Manual Control | Manual Defrost | Tempered Glass | Transparent Drawers for Freezer | Wine Rack | Tall Bottle Storage | LED Lamp

3 DOOR BOTTOM FREZER REFRIGERATOR SEMI-INVERTER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	FRIDGE VOLUME	FREEZER VOLUME	REFRIGERANT	RATED POWER INPUT	POWER CONSUMPTION	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MR3BF-238J	8.4 cu.ft.	132 Liters	82 Liters	R600	120 Watts	0.92kWh/24h	60kg	575x580x1779mm

TABLEWARE STERILIZER

TABLE TOP & FLOOR TYPE

PREMIUM SERIES

Features

Dual Cabinet Doors (Lower & Upper) Enables Independent & Simultaneous Operation

Digital Control and Display

Energy Efficient Sealed Door System

High Temperature With Ozone Disinfection System

Double Layered Lower Glass Door To Prevent Heat Loss

Kills Up To 99% Of Common Household Bacteria

Stainless Finish Body And Shelves

Technical Specification

Model	Capacity	Voltage and Frequency	Rated Volume	Rated Current Input	Upper Cabinet Temperature	Lower Cabinet Temperature	Unit Weight	Unit Dimension (WxDxH)
MSTD-78DBKJ/DRJ	2.7 cu.ft.	230V~/60Hz	78L	550W	50°C - 60°C	125°C - 135°C	11.2kg	430x370x705mm
MSTD-108DBKJ/DRJ	3.8 cu.ft.	230V~/60Hz	108L	550W	50°C - 60°C	125°C - 135°C	14.2kg	430x370x875mm
MSTF-138DBKJ/DRJ	4.9 cu.ft.	230V~/60Hz	138L	550W	50°C - 60°C	125°C - 135°C	16.0kg	430x370x1000mm
MSTF-168DBKJ/DRJ	5.9 cu.ft.	230V~/60Hz	168L	550W	50°C - 60°C	125°C - 135°C	18.3kg	430x370x1180mm
MSTF-198DBKJ/DRJ	7.0 cu.ft.	230V~/60Hz	198L	550W	50°C - 60°C	125°C - 135°C	19.0kg	430x370x1305mm
MSTF-280DBKJ/DRJ	9.9 cu.ft.	230V~/60Hz	280L	800W	50°C - 60°C	125°C - 135°C	23.5kg	480x430x1330mm
MSTF-380DBKJ/DRJ	13.4 cu.ft.	230V~/60Hz	380L	1100W	50°C - 60°C	125°C - 135°C	34.6kg	570x470x1600mm

TABLEWARE STERILIZER

FLOOR TYPE

STANDARD SERIES

Features

- Elegant, Sleek and Fashionable Cabinet Design
- High Temperature With Ozone Disinfection System
- Kills Up To 99% Of Common Household Bacteria
- Dual Cabinet Doors
- Energy Efficient Sealed Door System
- Double Layered Lower Glass Door To Prevent Heat Loss

Technical Specification

Model	Capacity	Voltage and Frequency	Rated Volume	Rated Current Input	Upper Cabinet Temperature	Lower Cabinet Temperature	Unit Weight	Unit Dimension (WxDxH)
MSTF-168GLY	5.9 cu.ft.	230V~/60Hz	168L	700W	50°C - 60°C	100°C - 130°C	17.0kg	425x370x1130mm
MSTF-168BRY	5.9 cu.ft.	230V~/60Hz	168L	700W	50°C - 60°C	100°C - 130°C	17.0kg	425x370x1130mm
MSTF-168MBKJ	5.9 cu.ft.	230V~/60Hz	168L	750W	50°C - 60°C	125°C - 135°C	18.3kg	425x370x1310mm
MSTF-198GLY	7.0 cu.ft.	230V~/60Hz	198L	700W	50°C - 60°C	100°C - 130°C	18.0kg	425x370x1310mm
MSTF-198BRY	7.0 cu.ft.	230V~/60Hz	198L	700W	50°C - 60°C	100°C - 130°C	18.0kg	425x370x1310mm
MSTF-198MBKJ	7.0 cu.ft.	230V~/60Hz	198L	750W	50°C - 60°C	125°C - 135°C	19.0kg	430x370x1305mm
MSTF-268RTY	9.5 cu.ft.	230V~/60Hz	268L	800W	50°C - 60°C	100°C - 130°C	21.0kg	480x375x1330mm
MSTF-268BRY	9.5 cu.ft.	230V~/60Hz	268L	800W	50°C - 60°C	100°C - 130°C	21.0kg	480x375x1330mm
MSTF-268GYY	9.5 cu.ft.	230V~/60Hz	268L	1100W	50°C - 60°C	100°C - 130°C	21.0kg	485x400x1325mm
MSTF-280MBKJ	9.9 cu.ft.	230V~/60Hz	280L	800W	50°C - 60°C	125°C - 135°C	23.5kg	480x430x1330mm
MSTF-380MBKJ	13.4 cu.ft.	230V~/60Hz	380L	1100W	50°C - 60°C	125°C - 135°C	34.6kg	570x470x1600mm
MSTF-388RTY	13.7 cu.ft.	230V~/60Hz	388L	1100W	50°C - 60°C	100°C - 130°C	26.5kg	570x475x1610mm
MSTF-388BRY	13.7 cu.ft.	230V~/60Hz	388L	1100W	50°C - 60°C	100°C - 130°C	26.5kg	570x475x1610mm
MSTF-388GYY	13.7 cu.ft.	230V~/60Hz	388L	1100W	50°C - 60°C	100°C - 130°C	26.5kg	570x475x1610mm

MARKES & MAXIMUS

PREMIUM GAS RANGE

Black Enamel and Stainless Steel Finish

MGR-50BKTS MGR-60SSTS

Features

- Tempered Glass Top Lid and Oven Door
- Mechanical Timer
- Large Oven Capacity
- Rotisserie and Tray
- Oven Thermostat
- Dish Warmer Compartment (MGR-60SSTS)
- Gas Safety Device for All Burners and Oven
- Electric Ignition for Burners and Oven Grill Function

Technical Specification

Model	No. of Burners & Hotplate	Oven Capacity	Rated Power Input	Rated Voltage / Frequency	Unit Weight	Unit Dimension (WxDxH)
MGR-50BKTS	3 + 1	40L	1000W	230V~/60Hz	34kg	500x500x850mm
MGR-60SSTS	3 + 1	63L	1000W	230V~/60Hz	37kg	600x500x850mm

GAS RANGE

Black Enamel & Stainless Steel Finish

MREB50 (Bourdaine) Black Enamel Finish

MRGS50 (Batali) Stainless Steel Finish

Features

- Electronic Ignition for burners
- Double Glaze Oven Door
- Dish Compartment at the Bottom
- Gas Oven
- Grill Function
- Manual Ignition on Oven/Grill (MREB50)
- Oven Lamp
- Rotisserie
- Mechanical Timer
- Deep Tray
- Brass Cap Burners
- One Electric Hotplate
- Safety Device for Burners and Oven (MRGS50)

Technical Specification

Model	No. of Burners & Hotplate	Oven Capacity	Rated Power Input	Rated Voltage / Frequency	Unit Weight	Unit Dimension (WxDxH)
MREB50	3 + 1	62L	1500W	220V-240V~/60Hz	34kg	500x550x850mm
MRGS50	3 + 1	62L	1500W	220V-240V~/60Hz	34kg	500x550x850mm

GAS RANGE

Stainless Steel Finish

MRCS60 (Colicchio) Stainless Steel Finish

MRFS60 (Garces) Stainless Steel Finish

Features

- Electronic Ignition For Burners / Oven
- Double Glaze Oven Door
- Dish Compartment at the Bottom
- Gas Oven
- Grill Function
- Safety Device for Burners and Oven
- Oven Lamp
- Rotisserie
- Timer
- Deep Tray
- Brass Cap Burners
- One Electric Hotplate

Technical Specification

Model	No. of Burners & Hotplate	Oven Capacity	Rated Power Input	Rated Voltage / Frequency	Unit Weight	Unit Dimension (WxDxH)
MRCS60	3 + 1	62L	1500W	220V-240V~/60Hz	37kg	600x500x850mm
MRFS60	3 + 1	80L	1500W	220V-240V~/60Hz	40kg	600x600x850mm

0.7mm Tempered Glass Top

Whirlwind Burner Higher Heat Output

Cast Iron Burner and Brass Cap Burner

Large Trivet for Big Pans

Modern and Elegant Design

GAS STOVE – TECHNICAL SPECIFICATIONS

MODEL	No. of Burners	Igniter Type	Body Construction	Drip Pan Construction	Unit Dimension (W x D x H)
MGS-GT2PRM	2 Burners	Piezo Igniter	Stainless Steel	Stainless Steel	720x410x90mm
MGS-GT2PB	2 Burners	Piezo Igniter	Stainless Steel	Stainless Steel	720x410x90mm
MGS-GT2CB	2 Burners	Piezo Igniter	Stainless Steel	Stainless Steel	720x410x90mm

GAS STOVE

MGS-8205T | Painted Body

MGS-8202SST | Stainless Steel Body & Pan Suport

MGS-8202T | Stainless Steel Body

MGS-8205T

- Automatic Ignition
- 100mm x 100mm Aluminum Burner
- Porcelain Enameled Kwali Stand
- Painted Iron Burner Head

MGS-8202T / MGS-8202SST

- Automatic Ignition
- 100mm x 100mm Aluminum Burner
- Rotating Inlet Type for Easy Piping
- Energy Efficient Burner
- Detachable Trivet for Easy Cleaning
- Modern and Elegant Design

GAS STOVE – TECHNICAL SPECIFICATIONS

MODEL	No. of Burners	Igniter Type	Body Construction	Drip Pan Construction	Unit Dimension (W x D x H)
MGS-8205T	2 Burners	Piezo Igniter	Powder Coated Steel Sheet	Powder Coated Steel Sheet	710x380x85mm
MGS-8202T	2 Burners	Piezo Igniter	Stainless Steel	Stainless Steel	710x380x85mm
MGS-8202SST	2 Burners	Piezo Igniter	Stainless Steel	Stainless Steel	710x380x85mm

RANGE HOOD

Touch Control / Charcoal Filter

Features

- LED Lights
- Washable Filter
- High Suction Power
- Inox Finish
- Oil Cup Collector
- Touch Control (MRH-3090T)
- Charcoal Filter (MRH-1890T)

Technical Specification

Model	Rated Voltage and Frequency	Max Air Flow	Motor Power	Noise Level	Lamp	Ventillation Pipe	Unit Weight	Unit Dimension (WxDxH)
MRH-3090T	230V~/60Hz	1000m³/hr	1 x 180W	63 dBa	2 x 1.5W LED	150mm Diameter	16.5kg	900x500x575mm
MRH-1890T	230V~/60Hz	800m³/hr	1 x 230W	62 dBa	2 x 1.5W LED	150mm Diameter	14.2kg	900x500x360mm

RANGE HOOD

Inox and Black Tempered Glass Finish

Features

- LED Lights
- Washable Filter
- High Suction Power
- Charcoal Filter
- Inox Finish (MRH-1690T)
- Black Tempered Glass Finish (MRH-1090T)
- Oil Cup Collector (MRH-1690T)
- Touch Control (MRH-1090T)

Technical Specification

Model	Rated Voltage and Frequency	Max Air Flow	Motor Power	Noise Level	Lamp	Ventillation Pipe	Unit Weight	Unit Dimension (WxDxH)
MRH-1690T	230V~/60Hz	800m³/hr	1 x 230W	62 dBa	2 x 1.5W LED	150mm Diameter	14.2kg	900x500x393mm
MRH-1090T	230V~/60Hz	750m³/hr	1 x 230W	62 dBa	2 x 1.5W LED	150mm Diameter	18.5kg	900x462x424mm

FOOD DISPLAY WARMER

Double Glazed Display Glass

Digital Temperature Controller & Display

Temperature 45°C ~ 65°C

Halogen Inside Light As Additional Heat Generator

FOOD DISPLAY WARMER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	RATED VOLTAGE & FREQUENCY	RATED POWER INPUT	POWER CONSUMPTION	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MFDW-90TSD	154 Liters	220V-240V~/60Hz	770 Watts	7.7kW-h/24h	95kg	900x550x790mm
MFDW-120TSD	212 Liters	220V-240V~/60Hz	800 Watts	8.0kW-h/24h	125kg	1200x550x830mm

FOOD DISPLAY CHILLER

TABLE / DESK TOP CHILLER

MSF-404GLJ

MSF-404GLJ

FLOOR TYPE CHILLER

MFDC-90FCD | MFDC-120FCD

MFDC-150FSD

5 YEARS WARRANTY COMPRESSOR

★ 1 YEAR PARTS & LABOR ★

APPLICABLE FOR ALL CHILLERS

Double Glazed Display Glass

Fan Blowing System for Balance Cooling Effect

With Dedicated Defrost Controller

Temperature 2°C ~ 8°C

Digital Temperature Controller & Display

LED Light

FOOD DISPLAY CHILLER - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	RATED VOLTAGE & FREQUENCY	RATED POWER INPUT	POWER CONSUMPTION	REFRIGERANT	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MFDC-90TCD	128 Liters	220V-240V~/60Hz	550 Watts	9.9kW-h/24h	R134a/440g	110kg	900x550x810mm
MFDC-120TSD	212 Liters	220V-240V~/60Hz	600 Watts	10.8kW-h/24h	R134a/580g	150kg	1200x550x790mm
MFDC-90FCD	335 Liters	220V-240V~/60Hz	900 Watts	12.6kW-h/24h	R134a/580g	210kg	900x800x1370mm
MFDC-120FCD	463 Liters	220V-240V~/60Hz	950 Watts	13.58kW-h/24h	R134a/700g	260kg	1200x800x1370mm
MFDC-150FSD	542 Liters	220V-240V~/60Hz	1100 Watts	14.3kW-h/24h	R404a/800g	280kg	1500x700x1200mm

15 Washing Programs | Sterilizing Program | Built-In Heater | Overheating Control | Overflow Control | Anti-Foam Control | Durable Stainless Steel Drum | Auto Balance System | 24 Hour Delay Start

FRONT LOAD WASHING MACHINE INVERTER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	DRUM VOLUME	RATED POWER INPUT	RATED VOLTAGE & FREQUENCY	WASH & SPIN NOISE LEVEL	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MWFLI-80G	8.0kg	52 Liters	2000 Watts	230V~/60Hz	60/76 dBa	65kg	595x545x845mm
MWFLI-100G	10.0kg	63 Liters	2000 Watts	230V~/60Hz	60/76 dBa	69kg	595x645x845mm

WASHING MACHINE

10 Washing Programs

Water Level Selector

Child Lock Protection

Air Dry Function

Auto Balance System

24 Hour Delay Start

Rust Proof Body

TOP LOAD FULLY AUTOMATIC WASHING MACHINE - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	RATED INPUT POWER OF WASH	RATED INPUT POWER OF SPIN	RATED INPUT POWER TOTAL	RATED VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MWTL-60B	6.0kg	375 Watts	320 Watts	695 Watts	230V~/60Hz	25.0kg	510x510x890mm
MWTL-80B	8.0kg	420 Watts	400 Watts	820 Watts	230V~/60Hz	28.0kg	550x550x930mm

WASHING MACHINE

Flame Proof Timer and Lid Switch

Thermal Fuse Protector for the Motor

Gentle & Standard Wash Setting

15 Minute Wash Timer Selector

Anti-rust Plastic Shell Desgn

ABS Plastic Top Cover

Rat Proof Base

TOP LOAD PLASTIC LID WASHING MACHINE - TECHNICAL SPECIFICATIONS

MODEL	CAPACITY & COLOR	RATED POWER INPUT	RATED VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MWS-289BGY	8.5kg | Gray	360 Watts	230V~/60Hz	11kg	460x440x845mm
MWS-289BBL	8.5kg | Blue	360 Watts	230V~/60Hz	11kg	460x440x845mm

WASHING MACHINE

MWT-75H RG (Rose Gold)

MWT-75H BL (Blue)

3 years Motor WARRANTY

1 Year for parts and Labor

Powerful Washing and Spinning Ability

Built with Big Pulsator

GNTL STD

Gentle & Standard Wash Setting

Air Dry Function

With Lint Filter

Anti-Rust Plastic Shell Design

Durable Transparent Lid

With Rat Proof Base

TWIN TUB WASHING MACHINE – TECHNICAL SPECIFICATIONS

MODEL	WASH / SPIN CAPACITY	RATED INPUT POWER OF WASH	RATED INPUT POWER OF SPIN	RATED INPUT POWER TOTAL	RATED VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MWT-75H RG	7.5kg / 5.0kg	400 Watts	180 Watts	580 Watts	230V~/60Hz	18.0kg	770x430x880mm
MWT-75H BL	7.5kg / 5.0kg	400 Watts	180 Watts	580 Watts	230V~/60Hz	18.0kg	770x430x880mm

SPIN DRYER

15 Programs for Any Type of Clothes

Humidify, Dry, Cool and Iron the Clothes

Delicate, Quick & Delay Start for More Options

Anti-Bacterial Drum

12 Hours Delay Start Function

With Lint Filter

With Inside Lamp

FRONT LOAD SPIN DRYER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY	DRYER TYPE	HEATING TYPE	RATED POWER INPUT	RATED VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MDFL-70G	7.0kg	Ventilation	Electrical	2350 Watts	230V~/60Hz	33.5kg	595x850x555mm

Energy Efficient

Built-In Safety Features

Can Be Use to Rinse Clothes Using Spin Rinse Cycle

Easy to Maintain

Space Saving

Durable Construction

TOP LOAD PLASTIC LID SPIN DRYER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY & COLOR	RATED POWER INPUT	RATED VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MSD-750BGY	7.5kg | Gray	240 Watts	230V~/60Hz	10.0kg	450x470x800mm
MSD-750BGR	7.5kg | Green	240 Watts	230V~/60Hz	10.0kg	450x470x800mm

MSD-RC50RS

MSD-RC50RR

Made with High-Quality Stainless Steel Tub

With Motor Overheating Sensor

Energy Saving Low Noise Mode

Copper Winding Motor for Longer Lifespan

Powerful Spinning Ability

TOP LOAD TRANSPARENT LID SPIN DRYER – TECHNICAL SPECIFICATIONS

MODEL	CAPACITY & COLOR	RATED POWER INPUT	RATED VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MSD-RC50RS	5.0kg | Gray Panel	200 Watts	230V~/60Hz	8.0kg	425x410x770mm
MSD-RC50RR	5.0kg | Red Panel	200 Watts	230V~/60Hz	8.0kg	425x410x770mm

Markes

WATER DISPENSER

MBWD-903BLE

MBWD-903WLE

MBWD-805BLE

Bottom Loading Water Dispenser

Compressor Cooling

Automatic Thermostat Technology

3 Push Tap Faucet

Over Current Protection

ABS Body Material

WATER DISPENSER BOTTOM LOADING – TECHNICAL SPECIFICATIONS

MODEL	RATED HEATING CAPACITY	RATED COOLING CAPACITY	HEATING AND COOLING POWER	RATED POWER	VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MBWD-903WLE	85ºC-95ºC - 5L/h	7ºC-12ºC - 2L/h	500W / 85W	585 Watts	220-240V~/50/60Hz	13kg	310x330x1050mm
MBWD-903BLE	85ºC-95ºC - 5L/h	7ºC-12ºC - 2L/h	500W / 85W	585 Watts	220-240V~/50/60Hz	13kg	310x330x1050mm
MBWD-805BLE	85ºC-95ºC - 5L/h	7ºC-12ºC - 2L/h	500W / 85W	585 Watts	220-240V~/50/60Hz	13kg	310x330x1050mm

WATER DISPENSER

High Efficiency Compressor

Automatic Thermostat Technology

Overheat Protection

Anti-Bacteria Stainless Steel Water Tank

Anti-Bacteria ABS Plastic Material

High Quality Silicon Tube that Eliminates Odor and Taste

Large Storage Cabinet

WATER DISPENSER FLOOR STANDING – TECHNICAL SPECIFICATIONS

MODEL	RATED HEATING CAPACITY	RATED COOLING CAPACITY	HEATING AND COOLING POWER	RATED POWER	VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MWDF-88WGLE	85ºC-95ºC - 5L/h	7ºC-12ºC - 2L/h	500W / 85W	585 Watts	220-230V~/50-60Hz	13kg	330x310x970mm
MWDF-99WBLE	85ºC-95ºC - 5L/h	7ºC-12ºC - 2L/h	500W / 80W	580 Watts	220-230V~/50-60Hz	13kg	310x320x970mm
MWD-58FLBLE	85ºC-95ºC - 5L/h	7ºC-12ºC - 2L/h	500W / 85W	585 Watts	220-230V~/50-60Hz	13kg	330x310x950mm
MWDF-1108BLE	85ºC-95ºC - 5L/h	7ºC-12ºC - 2L/h	500W / 85W	585 Watts	220-230V~/50-60Hz	15kg	330x310x950mm
MWDF-1108RLE	85ºC-95ºC - 5L/h	7ºC-12ºC - 2L/h	500W / 85W	585 Watts	220-230V~/50-60Hz	15kg	330x310x950mm
MWD-C72FCBC	85ºC-95ºC - 5L/h	7ºC-12ºC - 2L/h	500W / 85W	585 Watts	220-230V~/50-60Hz	13kg	312x325x960mm

E-Cooling Function

Hot & Cold Function

Overheat Protection

ABS Plastic Body Material

WATER DISPENSER DESK TOP – TECHNICAL SPECIFICATIONS

MODEL	RATED HEATING CAPACITY	RATED COOLING CAPACITY	HEATING AND COOLING POWER	RATED POWER	VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MWDD-18WLE	85°C-95°C - 5L/h	10~15°C - 0.7L/h	500W / 70W	570 Watts	220V~/50-60Hz	2.7kg	290x290x400mm
MWDD-8WLE	85°C-95°C - 5L/h	10~15°C - 0.7L/h	500W / 70W	570 Watts	220V~/50-60Hz	2.7kg	285x280x380mm

ELECTRIC FAN

Full Copper Motor | 60 Minute Timer | AS 5 Blades | Double Ring Fan Grill | 3 Speed Function | Low Noise | Button Light | Elegant Design

ELECTRIC FAN - TECHNICAL SPECIFICATIONS

MODEL	SIZE & CLASSIFICATION	RATED POWER INPUT	RATED VOLTAGE AND FREQUENCY	UNIT WEIGHT	UNIT DIMENSION (W x D x H)
MWF-405GLJ	16 Inch (WALL FAN)	55 Watts	230V~/60Hz	2.45kg	445x340x540mm
MWF-405GYJ	16 Inch (WALL FAN)	55 Watts	230V~/60Hz	2.45kg	445x340x540mm
MDF-402BKJ	16 Inch (DESK FAN)	55 Watts	230V~/60Hz	2.65kg	445x300x610mm
MSF-404GLJ	16 Inch (STAND FAN)	55 Watts	230V~/60Hz	5.50kg	445x400x1320mm

SHOE & BAG STERILIZER

ELEGANCIA & ROYALE SERIES

Plain & Floral

Features

- Wooden Door that Deodorize
- Mould Proof Function
- Shoe Polisher
- Dehumidify
- Disinfects

Technical Specification

Model	Design	Rated Voltage & Frequency	Ozone Amount	Ozonizer	Hot Plate	Shoe Brush	Unit Weight	Unit Dimension (WxDxH)
MSS-206	Plain / Floral	230V~/60Hz	200mg/h	12W	200W	85-92W	32kg	470x353x738mm
MSS-108	Plain / Floral	230V~/60Hz	200mg/h	12W	250W	85-92W	47kg	845x353x910mm

SHOE & BAG STERILIZER

CLASSIC SERIES

White & Wood

Features

- Wooden Door that Deodorize
- Mould Proof Function
- Shoe Polisher
- Dehumidify
- Disinfects

Technical Specification

Model	Design	Rated Voltage & Frequency	Ozone Amount	Ozonizer	Hot Plate	Shoe Brush	Unit Weight	Unit Dimension (WxDxH)
MSS-1102WHZ	White	230V~/60Hz	200mg/h	9.8W	200W	118-125W	87kg	992x413x1236mm
MSS-1505WDZ	Wood	230V~/60Hz	200mg/h	9.8W	200W	118-125W	54kg	1040x365x1055mm

MASSAGE CHAIR

mEXECUTIVO & mPRESTIGIO

Features

- Automatic Time Setting
- Auto & Manual Massage
- Reclining Function and Seat Lift
- Seat & Back Massage

Features

- Varieties of Massage Function
- Reclining Function
- Armrest Function
- Legrest & Footrest Function
- Play Music

Technical Specification

Model	Rated Power Input	Voltage & Frequency	Working Voltage	Unit Weight	Unit Dimension (WxDxH)
MMC-0300K	45W	230V/60Hz	12 VDC	27kg	830x450x660mm
MMC-2108CK	220W	230V/60Hz	110 VDC	108kg	1310x840x860mm

IRIS OHYAMA

Ohyama, The High-End Plastic Producer from Japan is now in the Philippines!

ハイエンド製品
High-end Products

Premium Quality Plastic Drawers

HG-554H
4 Layers
Chest w/ hanger
560x415x1960

MG-725
5 Layers
Brown top board
730x420x1025

HG-555
5 Layers
Pear top board
560x430x1000

NEW HOME SOLUTION
BIG STORAGE Capacity
Drawers can be rearrange

- 100% Virgin Plastic Material
- No Smell Residue
- Simply Elegant Wooden Top
- Easy Pull Drawers

HG-724 B
4 Layers
Beige top board
730x415x815

HG-554 B
4 Layers
Beige top board
560x415x810

WAJ534 B
4 Layers
Brown
590x440x825

WAJ534 W
4 Layers
590x440x825

W-654
4 Layers
685x556x985

Sturdy Stainless Steel Clothes Hanger Rack

KTM-157
Feature:
1580x650x1400

H-70X
Feature:
700x780x1300

H-78SH
Feature:
1180x545x1490

Versatile & Powerful Circulator Fan
Unique Powerful Mattress & Sofa Vacuum Cleaner

PCFHD15N
Feature:
241x175x266

PCFHD15
Features:
- With swing function
- 241x175x292

Energy Saving & Comfortable | Compact Type / Auto Oscillation
13m² Area of Coverage
We established our company standard based on the air quality (IRIS Ohyama)

- **Vortex Fan Blade**
- **Long Distance Wind**
- **Low Noise**
- **Design, R&D in Japan**

IC-FAC2
Feature:
250x459x212mm

- **Cycle Stream:** Performs powerful suction that eliminates loose particles, dust mites and allergens that causes skin allergies, skin and respiratory diseas and other problems.

Indicator lights allows you to see the cleaning progres

NOT CLEAN

ALMOST CLEAN

CLEAN

Continental Sales Inc.

DISTRIBUTED BY CONTINENTAL SALES, INC.
28 QUIRINO HI-WAY, EAST SERVICE ROAD, BALINTAWAK QUEZON CITY PHIL 1106
SALES: (02) 8362-5886/87 FAX: 8363-7193 / 8366-3124

LKG GROUP OF COMPANIES

Continental Sales, Inc.

Authorized Service Centers

AVAILABLE IN ALL MAJOR APPLIANCE STORES WITH OVER 130 AUTHORIZED SERVICE CENTERS NATIONWIDE

GREATER MANILA AREA

CONTINENTAL SALES INC.
28 Quirino Highway, Balintawak Quezon City
☎ 363 7193 | Telefax : 366 3124
0922 8178920 / 0999 8892152

TECHNO EDGE SERVICE CENTER
344 Alabang-Zapote Road Talon Uno, Las Pinas City
☎ (02) 805 7718 / 500 0172

SERCON AIRCONDITIONING & REFRIGERATION SERVICES
1-D MR complex, Gil Fernando Ave.
cor Marcos Hiway San Roque, Marikina City
☎ 646 9592 / 6459591 / 710 7784 / 6637644

LOVE ELECTRONICS SERVICE CENTER
176A. Bonifacio Avenue, Tañong, Marikina
☎ 799 6100 / 799 6119

TRONIX MASTER INC. ELECTRONICS SALES AND SERVICE CENTER
#777 N. S. Amoranto St. Retiro cor.
Sto. Domingo Avenue, Brgy. Seina , Q.C.
☎ 743 9094, 749 8477, 413 2775

R. M. DE DIOS JR. APPLIANCE REPAIR SERVICES
Blk.6 Lt. 6 Tierra Villas L and B11 Ilaya St.
Alabang Muntinlupa City
☎ 0921 8314777 / 0956 6734756

COOLTRONICS SERVICE CENTER
No. 1 Maganda St. Riverside Subd.
Brgy. Sto Domingo Cainta Rizal
☎ 656 4801 / 583 5912

KING AIRE REF AND AIRCON SERVICES
Blk 6 Lt 15 Rosal St. Steniel Ville Subd.
San Roque Antipolo City
☎ (02) 3590986 / 727 6021

CENTRAL LUZON

RHEMARIE REFRIGERATION & AIRCON SERVICE CENTER
1633 Halang Parung - Parong San Agustin
Hagonoy, Bulacan
☎ (044) 7649147 / 0932 8731267 / 0925 8530810

NDJ'S REFRIGERATION, AIRCONDITIONING & ELECTRONICS SERVICES (formerly Richmond)
#069 Burgos Ave. Brgy. Fatima Cabanatuan City
☎ (044) 600 2973 / 0919-9506956

MGQ AIRCON SERVICE CENTER
Maharllika Highway Purok Lambingan, Cabanatuan City
☎ (044) 6005495 / 0917 5711792

O.G.R.ELECTRONICS & REFRIGERATION SERVICE CENTER
885 Don Simeon St. San Vicente Gapan,Nueva Ecija
☎ (044) 4861955 / 0908 6407420

DOUBLE R REFRIGERATION AND AIRCON SHOP
Brgy. Del Rosario, City of San Fernando Pampanga
☎ 045-961 4922 / 0918-7167787 / 0928-4429961

OE APPLIANCE SHOP
Blk 2 Lt 1 Summerfield Homes San Rafael,
Mexico Pampanga
☎ (045) 84573803 / 09772563405 / 09632066562

SENTINE INDUSTRIAL AND BUILDING SOLUTIONS
F.G. Nepomuceno Avenue Pulung Maragul
Angeles City Pampanga
☎ (045) 3220777 / 6254401 / 0922 8597125

ESC TRADING AND MOTOR REWINDING SERVICES
768 7th St, Lacandula, Dau Mabalacat Pampanga
☎ 045- 892 2882 / 0933 9963079

MAC AIRE COOLING INDUSTRIES, CORP.
Panganiban St. Blk 5, Sto Cristo, Tarlac City
☎ 0922 8597136 / 0922 8527444

NEW DAN'S ELECTRONIC REFRIGERATION AND AIRCONDITIONING
246 Brgy. Maligaya San Miguel Tarlac
Telefax : 045 985 0032 / 0930 2899441

PANASERCO APPLIANCE REPAIR SHOP
F. Tañedo St. Tarlac City
☎ 045 9823505 / 9824880

CABALLERO'S REF- AIRCON AND ELECTRICAL SERVICES
502 Villa Sto Niño Subd Sta Cruz Tarlac City
☎ (045) 9827066 / 4930252 / 0928 5523532

OBP TRADING
#13 Gordon Avenue Pag Asa Olongapo City
047 2228461 / 0939 3682895

RDC ELECTRONICS, REF & AIRCON REPAIR SHOP
Zone 1 Paulien St, Iba Zambales
☎ (047) 8112270 / 8110921

NORTHERN LUZON

CA- MARA ELECTRONIC & REFRIGERATION AIRCONDITIONING SERVICE CENTER
146 Donato Bldg. A.B. Fernandez East
Dagupan City, Pangasinan
☎ 075 5224029 / 0928-3586266 / 0933-5335997

SOLIS APPLIANCE SERVICE CENTER
41 Marcos Avenue Palamis, Alam. City Pangasinan
☎ 0927 3147568 / 0932 7535860

JEFFREY AIRCON & REFRIGERATION SERVICE
Brgy Mulawin, Orani Bataan
☎ 0968 6634854 / 0950 9361045

M.D.S MIKE'S SERVICE CENTER
#6 Pantay Daya, Vigan City
☎ (077) 674 0669 / 6740671

JEFF AIRCONDITION & REFRIGERATION MAINTENANCE SERVICES
San Bartolome Rosales Pangasinan
☎ 0949 5690281 / 0917 9742327

SPE APPLIANCE SERVICE CENTER
Gomez Malasiqui Pangasinan
☎ 075 5601304 / 0922 8580618

CENTRAL REPUBLIC ELECTRONICS
03 Mabini St. San Carlos Pangasinam
☎ 0922 8172917 / 0968 8561345

VIC REF AIRCON & WELDING SHOP
205 Gen. Luna St. Brgy 27 Laoag City, Ilocos Norte
☎ (077) 7710447 / 0928 7012885

JM'S AIRCON & REFRIGERATION REPAIR SERVICES
Brgy 40 Balatong, Laoag Cty, Ilocos Norte
☎ 0977 2353008 / 0950 8159368

NORTH EASTERN LUZON

CITY COOL REF & AIRCONDITIONING
Citycool Bldg. National Highway Mabini
Santiago City Isabela
☎ 078- 682 3522 / 0919-3067870 / 0932-6478432

COOL AIDE REFRIGERATION AIRCONDITIONING AND ELECTRONICS
Prenza Highway, San Fermin Cauayan City, Isabela
☎ 0917 8723802 / 0905 116291

RIVERDALE APPLIANCE SERVICE CENTER
11 Pagulayan St. Pallua Norte, Tuguegarao City
☎ (078) 3962368 / 0935 1989957

EM MARTINEZ REFRIGERATION & SERVICE CENTER
Langagan Sanchez Mira, Cagayan
☎ 0917 8771035 / 0977 8152642

SOUTH LUZON

GENCOOL MECHANICAL SERVICES
Blk 15 Lt. 7 E dela Costa Ave. Paliparan III, Dasmariñas Cavite
☎ (046) 4581533 / 0946 4581533

G.J.C REF & AIRCON SERVICE
B4 L12 Monaco Drive, Franceville Homes
Bulihan Silang Cavite
☎ 0919 6861291 / 0917 5519516

MULTISKILL TRADING REF & AIRCON SERVICE
Blk. 23 Lt. 4 Brgy. Sta. Maria, Dasmarinas Cavite
☎ (046) 6860485 / 0920 4439587

FEDMARK ENTERPRISES
350 Nat'l H-way, Real Calamba Laguna
☎ 049 5457846 / 0928 2686984

PANATEK SERVICE CENTER
Maharlika Highway San Rafael, San Pablo City, Laguna
☎ 049 5627205 / 0922 8639366 or 67

D4G AIRCONDITIONING TRADINGAND SERVICES
Dap Dap Road Doña Romana Subd.
Brgy. Biñan ,Pagsanjan Laguna
☎ (049) 3042953 / 0998 3091747

JANEMARK REF & AIRCON SERVICES
215 Paninsingan Tambo Lipa City Batangas
☎ 043 756 1942 / 981 2880 / 0922 5462721

WICCOOL REFRIGERATION AND AIRCONDITIONING SERVICE
Stall C National Highway Brgy. Sico 1.0,
San Juan Batangas
☎ (043) 4200368 / 0975 2976353

FEDMARK ENTERPRISES
350 Nat'l H-way, Real Calamba Laguna
☎ 049 5457846 / 0928 2686984

PANATEK SERVICE CENTER
Maharlika Highway San Rafael, San Pablo City, Laguna
☎ 049 5627205 / 0922 8639366 or 67

D4G AIRCONDITIONING TRADING AND SERVICES
Dap Dap Road Doña Romana Subd.
Brgy. Biñan ,Pagsanjan Laguna
☎ (049) 3042953 / 0998 3091747

JANEMARK REF & AIRCON SERVICES
215 Paninsingan Tambo Lipa City Batangas
☎ 043 756 1942 / 981 2880 / 0922 5462721

WICCOOL REFRIGERATION AND AIRCONDITIONING SERVICE
Stall C National Highway Brgy. Sico 1.0,
San Juan Batangas
☎ (043) 4200368 / 0975 2976353

SAINT AGUSTINE REFRIGERATION AND AIRCONDITIONING
San Vicente, Sto. Tomas, Batangas
☎ (043) 4550728 / 0939 3601079 / 0922 3604333

FREEZE AND COOL APPLIANCE REPAIR SERVICE
Purok 5 Brgy . Concepcion Batangas City
☎ 0927 4838965 / 0908 6062839

ALT AIRCONDITIONING SERVICES
Maharlika Highway Ilayang Iyam, Lucena City
☎ 0915 9346510 / 09162031341

ADONIS AIRCON & REF REPAIR & SERVICES
Purok Dahlia Brgy. Comon Infanta, Quezon
☎ (042) 5354374 / 0920 5812904 / 0928 9913436

ADORMEO'S REFRIGERATION AND AIRCONDITIONING SERVICES
Brgy 9, Catanauan Quezon
☎ 0908 6445505 / 0956 5743724

PALAWAN

PADUA ELECTRONICS AND REFRIGERATION SERVICE CENTER
Purok Matatag II, Panacan 2, Narra, Palawan
☎ 0910 7490422 / 0927 8932973

EZE AIRCONDITIONING SERVICES
National Highway, Antipuluan Narra, Palawan
☎ 0910 2707050 / 0995 2804623

NEW WHITELINES REF, AIRCON & ELECTRICAL SERVICES
201 Nat'l Highway, Brgy. San Pedro Puerto Prinsesa, Palawan
☎ 048 723-1867 / 0919 3597121

JAROS REFRIGERATION & AIRCONDITIONING SERVICES
108 Roxas St Puerto Princesa
☎ (048) 434-4228 / 0919 2862473

BICOL AREA

DVS DOLOR
Vinsons Avenue Daet, Camarines Norte
☎ 054 4402459 7212459

DANLOP SERVICE CENTER
P-1B Brgy. Anahaw Labo, Camarines Norte
☎ 0925 7474599

Continental Sales, Inc.

Authorized Service Centers

AVAILABLE IN ALL MAJOR APPLIANCE STORES WITH OVER 130 AUTHORIZED SERVICE CENTERS NATIONWIDE

BICOL AREA

ROLL ELECTRONICS
Gov. Roy Padilla Sr. Blvd. South Poblacion
Jose Panganiban, Camarines Norte
☎ (054) 8850659 / 0999 7346666 / 0998 5768335

MARSEAN ELECTRONICS SERVICES
Zone 4-A Tara Sipocot, Camarines Sur
☎ 0947 7315274 / 0932 1679924

COLD ZONE REFRIGERATION & AIR CONDITIONING SERVICES
Blk. 22 Lt.21 Villa Karangahan Sub. San Felipe Naga City
☎ (054) 8811165 Cel# 0910 5303637 / 0995 4426348 / 0932 7159328

ALSON TRADING SERVICE CENTER
Brgy. San Miguel, Iriga City
☎ 054 456 1236

HD TECH ELECTRONICS & AIRCON SERVICE CENTER
Velasco Subd. Bagong Bayan Daraga Albay
☎ 052 4354894 / 0915 3370088 / Fax # 0524831252

BASALLOTE AIRCON & REFRIGERATION SHOP
Pinaranda Ext. Bonot, Legaspi Albay
☎ 052 487-6008 , 4808196
Branch : Rawis, Virac, Catanduanes ; Tabaco

D.S. AROJADO ELECTRONICS SERVICE CENTER
442 Z4 Matacla Goa Camarines Sur
☎ 0939 2620399

NIKKI ELECTRONICS
Sabado Compound Alegre St.Balogo, Sorsogon City
☎ (056) 4215148 Cel# 0918 4607621

WESTERN VISAYAS

BSJ PANA REFRIGERATION, ELECTRONICS PARTS S.C.
Bankers Village, Dungon B Jaro, Iloilo City
☎ 033 5087167 / 3215093

DENNISONS REFRIGERATION & AIRCONDITIONING SERVICES
Brgy. Balabag Pavia, Iloilo City
☎ (033) 3931176

STEP-UP REFRIGERATION & AIR-CONDITIONING SERVICES
De Leon St. Mandurriao, Iloilo City
☎ (033) 5096681 /09491775440 / 09157323332

ULTRADE PHIL SERVICE CORPORATION
Sen. Benigno Aquino Ave. Brgy Sambag Jaro, Iloilo City
☎ 033 3304004 Cel# 0917 6247959

MG ELECTRONICS SERVICE
Rizal Street, Roxas City, 5800
☎ 036-522 4232 Cel# 0918 7139288

MJ ELECTRONICS REF AND AIRCON SERVICE
Konoy Roxas City Capiz
☎ 036 5222046 Cel# 0908 8739850

TECHNOAIRE ENGINEERING SUPPLIES & SERVICES
Sabando Bldg. Brgy.10 Km.1, Roxas Ave. Roxas City
☎ 036 6205101 /0909 7767830 / 0949 9425424

JL REFRIGERATION AND AIRCONDITIONING, SALES PARTS & SERVICES
1888 D. Maagma St. Pob.Kalibo Aklan
☎ 036 500 7037 / 268 8765 / 0919 731 9485

HQ PANAVISION ELECTRONICS PARTS AND S. C.
17th East Lacson St. Bacolod City, Negros Occidental
☎ (034) 7099628 / 4332028

AMP'S REFRIGERATION & AIRCONDITIONING SERVICE CENTER
Door 1 JR Building Rizal St. Bacolod City
☎ 034-7033948 / 0906 4222055

LJV REFRIGERATION & AIRCONDITIONING SERVICES
SCP Building, Unit 2 Gonzaga Ext. St.
Doña Juliana Subd. Brgy Taculing Bacolod City
☎ 034 4321385 / 0915 4334279

JALS AIRCON & REFRIGERATION REPAIR SERVICES
Unit 2 HH compound Lopez Jaena cor. Luzuriaga St. Brgy 28, Bacolod City Negros Occidental
☎ (034) 4587724 / 0947 9670775

ANTIQUE REFRIGERATION & AIRCONDITIONING SERVICE CENTER
Salazar St. San Jose Antique
☎ (036) 5409932 / 0926 2652409

CENTRAL VISAYAS

CONTINENTAL SALES INC.
EC Masucol Bldg. A. C. Cortes Alang - Alang, Mandaue City
☎ (032) 2560989 / 032 4124772 - fax

CUARTO FRIO AIRCONDITIONING SERVICES
Fortuna Bldg. S. B. Cabahug St. Obabao, Mandaue City
☎ (032) 2346137 /09324513958 / 09423400445

HD APPLIANCE CARE
#1027 Cebu South Road, Basak San Nicolas Cebu City
☎ 032 4228499 / 0922 5150520

MILLENIUM APPLIANCE & COOLING SYSTEM SERVICE
P. Rodriguez St. Cogon Bogo, Cebu City
☎ 032-434 5798 / 434 5507

PROTECH SERVICE CENTER
Uypiching Bldg. Southroad Mangnao, Dumaguete City
☎ 035-422- 8498 / 4222841 / 0922-2904350

JJ'S APPLIANCE REPAIR SHOP
CPG East Avenue Bool District, Tagbilaran City
☎ (038) 4123587 / 0998 5368033

NORTHWAY SERVICES
CPG North Ave Tagbilaran City
☎ (038) 411 2007

DU EK SAM INC.
J . A. Clarin St., Tagbilaran City
☎ 038 5019866

RTC AIRCON SALES SERVICE CENTER
109 Hibbard Avenue Piapi Dumaguete City, Negros Oriental
☎ 035- 4229901 / 0923 6160181

EASTERN VISAYAS

JM ELECTRONICS CUSTOMER SERVICE DELIGHT
Zone 3, Sogod Southern Leyte
☎ (053) 577 8332 ; 0917 8227945

YOUR HELPLINE APPLIANCE REPAIR SERVICES
Blk. 33 Lt.19, NHA Brgy Baras Palo, Leyte
☎ 0977 4333868

RCM REF AND AIRCON REPAIR AND SERVICES
Brgy. 7 San Francisco St. Catbalogan City
☎ (053) 2513412 / 0917 3150974

RCM REF AND AIRCON REPAIR AND SERVICES
Brgy. 7 San Francisco St. Catbalogan City
☎ (053) 2513412 / 0917 3150974

PEAK POINT REFRIGERATION & AIRCON SHOP
Km. 4 Real St. Sangkahan Tacloban City
☎ 0920 2435608 /09215860583 /09069588354

MARK ALLIED REF & AIRCON SERVICES
1085 Real St Sagkahan District Tacloban City
☎ (053) 5233286 / 5234571 / 0919 7787667

BAÑEZ AND BRAZIL ELECTRIC FAN REPAIR SHOP
cor J. Navarro and Osmeña St. Ormoc City
☎ (053) 5233286 / 5234571 / 0919 7787667

WESTERN MINDANAO

ADY AIRCON & REFRIGERATION REPAIR SHOP
Lt. 13 Blk 11, Sto. Nino Village 1 Putik, Zamboanga City
☎ (062) 993-2067 / 0936 5156620

NATIONAL COMMERCIAL
303 Gov. Alvarez St. Zamboanga City
☎ (062) 991-2738 / 993-0605

N & N SERVICE CENTER
Sunriser Lane I, Talon-talon Loop, Zamboanga City
☎ 062 991-6578 / 993-2190 / 0920-9623673

JRH REF & ELECTRONICS SERVICES
Park Palmera, Balangasan District
7016 Pagadian City, Zamboanga del Sur
☎ 062 2151154 / 0921 8409261

JEC ELECTRONICS, REF & AIRCON REPAIR SERVICES
Jamco Bldg. Suegang Ave. Pob. Ipil, Zamboanga Sibugay
☎ 09097192406 / 09066688713 /09159595400

J AIRCONDITIONING AND REFRIGERATION SERVICES
National Highway Sta. Isabel, Dipolog City
☎ 065 2129843 / 0920 9007707

WIDGETS APPLIANCE SERVICE CENTER
Pingol St. Brgy. Lam-An, Ozamis City
☎ (088) 5210626 / 0998 5398450

NORTHERN MINDANAO

R. G. CUENCA REF & AIRCONDITIONING SERVICE CENTER
Zone 4 Pasil Kauswagan Cagayan de Oro
☎ 09177803140 / 0918 5085968 / 0977 8034503

COOLHOUSE AIRCONDITIONING AND REFRIGERATION SERVICE CENTER
Zone 3 Pres. Quirino St. Agusan, Cagayan de Oro
☎ 083 855-8864 /323-1599

ERVINE AIRCON / REF. SERVICE CENTER
Door#4 Tanleh Building, Abellanosa
Vega Cagayan de Oro City
☎ 088 - 8562377 /09228739124 /09177167845

HILARIO'S REF & AIRCON SHOP
Sayre Highway, P17C Hagkol Poblacion Valencia City
☎ 088 - 828 3357 / 828 4181

E & E APPLIANCE SERVICE AND SUPPLY
P-1 T. Calo Extension, Butuan City
☎ 085 3425502

HI-12 APPLIANCE SALE & SERVICE CENTER
Don Mariano Badelles Sr. St. Iligan City
☎ (063) 2215639, 2238536

LJP REFRIGERATION AND AIRCONDITIONING SERVICES
P-1 T. Calo Extension, Butuan City
☎ 085 3425502

F. QUINAL REFRIGERATIONS
Purok II Brgy V ,San Francisco Agusan Del Sur
☎ 085 343 8153

J.A. ARADILLOS REFRIGERATION AND AIRCONDITIONING SERVICES
Luis Perez St. Bag-ong Lungsod Tandag City Surigao del Sur
☎ (086) 2114010 / 0932 3088397

MC. DODS REF. AIRCON & SPARE PARTS
Ms. Eulogia Gocotano, P 7 Boras Brgy Sabang, Surigao City
☎ (086) 2318086 / 0946 1850897

PBV REFRIGERATION AND AIRCONDITIONING SERVICES
Purok 1 Sitio Suyatan Sabang, Surigao City
☎ (086) 8260481 /09985445354 /09985445356

SOUTHERN MINDANAO

SAN YUI SERVICE CENTER
B3 L6 Spring Velley Buhangin, Davao City
☎ 082 2410377

EMCOR INC.
158 JVR Bldg. J.P.Laurel Avenue, Bajada, Davao City
☎ 082 2221125 / 3241563

QUEM'S REF & AIRCON SERVICES
Quezon Avenue Poblacion 2 Midsayap Cotabato
☎ 09091373196 /09124122550 / 09163555452

101 REPAIR SHOP
Km. 54 National Highway, Purok Aquarius Visayan Village, Tagum City
☎ 084 - 4002227 / 4004788

GENERAL SANTOS ELECTROCARE
Magsaysay Avenue, Gen, Santos City
☎ 082-221 1506 / 305 5641 / 0910 8672018

JMA ELECTRONICS SERVICES
R. Delfin Bldg. National Highway
Isulan Sultan Kudarat
☎ (064) 2013449

World's No.1 Major Appliance Brand

Haier

Mark of Excellence & Innovation

Markes

Continental Sales, Inc. (CSI)

Exclusively distributed by
Continental Sales, Inc.
28 Quirino Highway, Balintawak,
Quezon City, Philippines 1106

Sales Hotlines:
(02) 8362-5886 | 8362-5887
Service Hotlines:
(02) 8363-7193 | 8366-3124
After Sales Service:
(+632) 8363-7193 | (+632) 8366-3124
(+63) 922-817-8920 | (+63) 999-8892152
(+63) 917-502-7773

National Sales Manager | csi.sales@lkg.com.ph
Marketing Manager | csi.marketing@lkg.com.ph
Import Manager | csi.import@lkg.com.ph
AR Officer Manager | csi.ar@lkg.com.ph
AR Officer MM | csi.ar.mm@lkg.com.ph
AR Officer Prov | csi.ar.prov@lkg.com.ph
After Sales Service | csi.service@lkg.com.ph
Product Research & Development | csi.tech@lkg.com.ph

www.facebook.com/MarkesPH
www.markesph.com
www.LKG-GROUP.COM